



10/675409

cofe

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria VA 22313-1450.

By Kyrsti Ryan on December 20, 2005
Name Date

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 6,965,303

Atty Docket: CRNT-0206

Issued: November 15, 2005

Inventor(s): Mollenkopf

Title: Power line communication system and method

**REQUEST FOR CORRECTION AND ISSUANCE
OF CORRECTED PATENT PURSUANT TO 37 CFR § 1.322(b)**

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria VA 22313-1450

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.


Certificate
DEC 29 2005
of Correction

12/27/2005 TBESHAH1 00000012 500687 6965303
01 FC:1811 100.00 DA

JAN 04 2006

The United States Patent and Trademark Office is authorized to charge \$100 and any other fees associated with this request to Deposit Account No. 50-0687.

Respectfully submitted,

A handwritten signature in black ink, reading "Melvin L. Barnes, Jr.", written over a horizontal line.

Melvin L. Barnes, Jr.
Reg. No. 38,375

Manelli Denison & Selter PLLC
2000 M Street, N.W. Suite 700
Washington, DC 20036
Phone: 301.581.0081
Fax: 202.318.7456

JAN 04 2006



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Mollenkopf

Examiner: Unknown

Patent No.: 6,965,303

Group Art Unit: 2636

Issue Date: November 15, 2005

Docket No: CRNT-0206

Title: POWER LINE COMMUNICATION SYTEM AND METHOD

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

We are transmitting herewith the attached:

- ☒ Request for Certificate of Correction (2 pages).
- ☒ Certificate of Correction Form - PTO-1050 (in duplicate)
- ☒ Authorization to charge the Deposit Account 50-0687 in the amount of \$100 to cover the Request for Certificate of Correction.
- ☒ A return postcard.

Please charge any additional fees or credit overpayment to Deposit Account No. 50-0687.

Manelli Denison & Selter PLLC
2000 M Street, N.W. Suite 700
Washington, DC 20036
Phone: 301.581.0081
Fax: 202.318.7456

By: Melvin L. Barnes, Jr.
Name: Melvin L. Barnes, Jr.
Reg. No. 38,375

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner of Patents and Trademarks, P.O. Box 1450, Alexandria VA 22313-1450, on this 20 day of December 2005.

Kyrstin Ryan
Name

Kyrstin Ryan
Signature

JAN 04 2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,965,303

Page (1) of 2

DATED : November 15, 2005

INVENTOR(S) : Mollenkopf

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On page 2, in field (56), under "U.S. Patent Documents", in column 1, line 62, after "Roth et al." delete "340/310" and insert - - 340/310.07 - -, therefor.

On page 2, in field (56), under "U.S. Patent Documents", in column 2, line 2, delete "4,749,992 A 6/1988 Fitzemeyer et al. 340/870.02".

On page 5, in field (56), under "Other Publications", in column 1, line 58, delete "Signalling" and insert - - Signaling - -, therefor.

On page 5, in field (56), under "Other Publications", in column 1, line 64, delete "pp" and insert - - pp. - -, therefor.

On page 5, in field (56), under "Other Publications", in column 2, line 12, delete "pp" and insert - - pp. - -, therefor.

On page 6, in field (56), under "Other Publications", in column 2, line 47, after "Mar. 21," delete "2002" and insert - - 2003 - -, therefor.

On sheet 6 of 19, in Fig. 6a, below "To Processor" delete "6/19".

In column 15, line 5, delete "at,least" and insert - - at least - -, therefor.

In column 15, line 46, before "filed" insert - - , - -.

In column 15, line 54, after "240" insert - - . - -.

In column 26, line 45, delete "Devic" and insert - - Device - -, therefor.

In column 46, line 4, in Claim 32, delete "where in" and insert - - wherein - -, therefor.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,965,303

Page (2) of 2

DATED : November 15, 2005

INVENTOR(S) : Mollenkopf

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 46, line 7, in Claim 33, delete "where in" and insert - - wherein - -, therefor.

In column 46, line 17, in Claim 35, delete "freuency" and insert - - frequency - -, therefor.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,965,303

Page (1) of 2

DATED : November 15, 2005

INVENTOR(S) : Mollenkopf

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On page 2, in field (56), under "U.S. Patent Documents", in column 1, line 62, after "Roth et al." delete "340/310" and insert -- 340/310.07 --, therefor.

On page 2, in field (56), under "U.S. Patent Documents", in column 2, line 2, delete "4,749,992 A 6/1988 Fitzmeyer et al. 340/870.02".

On page 5, in field (56), under "Other Publications", in column 1, line 58, delete "Signalling" and insert -- Signaling --, therefor.

On page 5, in field (56), under "Other Publications", in column 1, line 64, delete "pp" and insert -- pp. --, therefor.

On page 5, in field (56), under "Other Publications", in column 2, line 12, delete "pp" and insert -- pp. --, therefor.

On page 6, in field (56), under "Other Publications", in column 2, line 47, after "Mar. 21," delete "2002" and insert -- 2003 --, therefor.

On sheet 6 of 19, in Fig. 6a, below "To Processor" delete "6/19".

In column 15, line 5, delete "at,least" and insert -- at least --, therefor.

In column 15, line 46, before "filed" insert -- , --.

In column 15, line 54, after "240" insert -- . --.

In column 26, line 45, delete "Devic" and insert -- Device --, therefor.

In column 46, line 4, in Claim 32, delete "where in" and insert -- wherein --, therefor.

JAN 04 2006

JAN 04 2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,965,303

Page (2) of 2

DATED : November 15, 2005

INVENTOR(S) : Mollenkopf

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 46, line 7, in Claim 33, delete "where in" and insert - - wherein - -, therefor.

In column 46, line 17, in Claim 35, delete "freuency" and insert - - frequency - -, therefor.